## Message

From: Steve M. Kimm [skimm@fveng.com]

**Sent**: 7/29/2016 2:14:55 PM

To: Peabody, Daniel (DEQ) [PeabodyD@michigan.gov]; Bucholtz, Paul (DEQ) [BUCHOLTZP@michigan.gov]; Kemmer, Eric

[KemmerE@kalamazoocity.org]; Bruce Merchant (bemerchant@gmail.com) [bemerchant@gmail.com]; Kovacich,

Michael (Michael.Kovacich@tetratech.com) [Michael.Kovacich@tetratech.com]; Berkoff, Michael [berkoff.michael@epa.gov]; Eustice, Brian (DEQ) [EusticeB@michigan.gov]; Ballo, Frank (DEQ)

[BALLOF@michigan.gov]; Harn, David (DEQ) [HarnD@michigan.gov]

**Subject**: RE: Panelyte Investigation - Last minute questions

Dan

Sounds like a well deserved day off...

I will be in Kalamazoo on Monday and Tuesday next week and have a few tasks to do at Panelyte to assist in determining the sampling locations. I do not have a key to gain access.

The best way to reach me is my cell phone (231) 360-4677 – have Brian give me a call when they get settled onsite on Monday.

**Thanks** 

Steve

From: Peabody, Daniel (DEQ) [mailto:PeabodyD@michigan.gov]

Sent: Friday, July 29, 2016 9:53 AM

**To:** Steve M. Kimm <skimm@fveng.com>; Bucholtz, Paul (DEQ) <BUCHOLTZP@michigan.gov>; Kemmer, Eric <KemmerE@kalamazoocity.org>; Bruce Merchant (bemerchant@gmail.com) <benerchant@gmail.com>; Kovacich, Michael (Michael.Kovacich@tetratech.com) <Michael.Kovacich@tetratech.com>; Berkoff, Michael (berkoff.michael@epa.gov) <berkoff.michael@epa.gov>; Eustice, Brian (DEQ) <EusticeB@michigan.gov>; Ballo, Frank (DEQ) <BALLOF@michigan.gov>; Harn, David (DEQ) <HarnD@michigan.gov>

Subject: RE: Panelyte Investigation - Last minute questions

Steve,

Brian Eustice and his crew will be out next week starting clearing and doing the geophysics portion of the investigation. We just finished a 10 day work stint in Houghton and got back at 10pm last night. We put in almost 4 weeks of hours in two working weeks so I have a feeling some of the guys are taking the day off. That means Monday morning will require some time to load up and mobilize the equipment down to Kalamazoo. I can have Brian E call you Monday afternoon and touch base with you, if you'd like. Just let us know the best way to reach you. I am not in the office today but I will be tomorrow and Sunday so if you want to chat you can reach me at my home, 248-703-4736.

Thanks,

## **Daniel Peabody**

Geologist
Geological Services Unit
Program Support Section
Remediation and Redevelopment Division
Michigan Department of Environmental Quality
635 Filley St.

Lansing, MI 48906 Office: (517) 335-6436 Cell: (517) 242-0345

Email: PeabodyD@michigan.gov

Office Hours: Mon-Thr 0700-1700, Fri 0700-1100

**From:** Steve M. Kimm [mailto:skimm@fveng.com]

Sent: Thursday, July 28, 2016 2:31 PM

**To:** Bucholtz, Paul (DEQ); Kemmer, Eric; Bruce Merchant (<a href="mailto:bemerchant@gmail.com">bemerchant@gmail.com</a>); Kovacich, Michael (<a href="mailto:bemerchant@gmail.com">bemerchant@gmail.com</a>); Kovacich, Michael (<a href="mailto:bemerchant@gmail.com">bemerchant@gmail.com</a>); Kovacich, Michael (<a href="mailto:bemerchant@gmail.com">bemerchant@gmail.com</a>); Peabody, Daniel (DEQ); Eustice, Brian (<a href="mailto:bemerchant@gmailto:beme

(DEQ); Ballo, Frank (DEQ); Harn, David (DEQ)

Subject: RE: Panelyte Investigation - Last minute questions

I have ordered the bottles and coolers from ALS for the sampling the week of 8/8. I ordered 6 bottle sets for 1,4-dioxane if needed. ALS will pick up samples from F&V on Wednesday and again on Friday – the week of August 8. We will need to collect any samples for furans and dioxins during the first part of the week – they need to be sent to Houston for analysis – we need to account for shipping time/hold time.

We have PCBs on our parameter list – but not coplanar PCBs

What is the DEQ field schedule for next week?

**Thanks** 

Steve

From: Bucholtz, Paul (DEQ) [mailto:BUCHOLTZP@michigan.gov]

Sent: Monday, July 18, 2016 3:35 PM

To: Steve M. Kimm <skimm@fveng.com>; Kemmer, Eric <KemmerE@kalamazoocity.org>; Bruce Merchant (bemerchant@gmail.com) <ber>
<br/>
<br/>
<br/>
Michael.Kovacich@tetratech.com<br/>
; Berkoff, Michael (berkoff.michael@epa.gov) <br/>
Peabody, Daniel (DEQ) <<br/>
PeabodyD@michigan.gov<br/>
; Eustice, Brian (DEQ) <<br/>
EusticeB@michigan.gov<br/>
; Ballo, Frank (DEQ)

<<u>BALLOF@michigan.gov</u>>; Harn, David (DEQ) <<u>HarnD@michigan.gov</u>>

Subject: Panelyte Investigation - Last minute questions

Folks, here are some of the questions we came up with on today's call. Just need to communicate how to handle with the Rose Lake crew before they get into the field.

1-4 dioxane, D/Fs, coplanar PCBs, which samples and where? (are wo going to make it a field call after samples, will hold times allow for deciding after we get other results back?) Need to give Rose Lake folks direction is all Eric to email approval of Board after Thursdays meeting.

Need containers from ALS in time to do the sampling (Steve to coordinate?)

Do we have a courier service from ALS, can we ship all at once at end of collection? Will Steve run samples? GSI wells install – put in 6 new wells as per the WP? Or use some of the existing CH2Mhill wells like we talked about? F & V – is their staff person coming out? Can F & V define work effort on their part

Ann G will be on-site periodically to run GW system, she will be stopping by on occasion but no more than that.

Let me know if you have any other questions. Planning to just use email between now and the end of the work

Thanks Much!

Paul

The information contained in this message and any attachment may be proprietary, confidential, and privileged or subject to the work product doctrine and thus protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by replying to this message and deleting it and all copies and backups thereof. Thank you.

The information contained in this message and any attachment may be proprietary, confidential, and privileged or subject to the work product doctrine and thus protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by replying to this message and deleting it and all copies and backups thereof. Thank you.